



TECHNICAL DATASHEET

BTA-70903

SPC Adapter BB-2590/U Batteries



Features

- This adapter is a two (2) position charge adapter for BB-2590/U batteries on SPC chargers
- The BTA-70903 adapter will charge the Bren-Tronics BB-2590/U batteries to 33.6V (in series mode) or 16.8V (in parallel)
- The BTA-70903 when used in conjunction with the appropriate battery charger will charge one (1) or two (2) of the following batteries:
 - BB-2590/U (BT-70791Bx, BT-70791Cx or BT-70791Jx)
 - BB-390/U (BT-70790B)
 - BB-590/U (BT-70409)

Note: Do not install batteries charged to 33.6V (in series mode) in equipment not rated for 33.6V operation

Related Products

BTC-70801 (Soldier Portable Charger)
 BTC-70844 (Soldier Portable Charger, CE)
 PP-8498/U (Soldier Portable Charger)
 BTC-70819 (Soldier Portable Charger Lite)

Technical Specifications

National Stock Number	6130-01-630-4260
BT Part Number	BTA-70903
Dimensions	Length: 3.5 in (89 mm) Width: 5.5 in (140 mm) Height: 1.7 in (43 mm)
Weight	0.63 lbs (0.28 kg)
Operating Temperature	-20°C to +50°C (-4°F to +122°F)
Storage Temperature	-40°C to +70°C (-40°F to +158°F)
Material/Color	Modified ABS Plastic/Tan
Disposal	Check local regulations (Contains 0% Mercury or Cadmium)

Bren-Tronics is an advanced designer and manufacturer of primary and rechargeable batteries, chargers and complete energy storage systems from watt hours to megawatt hours.

For a complete description of our products refer to Bren-Tronics website at: <http://www.bren-tronics.com>



HEADQUARTERS

United States

10 Brayton Court, Commack, NY 11725
 Phone: 1-631-499-5155 • Fax: 1-631-499-5504

Europe • 20 rue Henri Regnault 75014, Paris, France • Phone: +33(0)1-40-59-8051 • Fax: +33(0)1-45-41-5816

United Kingdom • 7 Airfield House, Kingston Business Park, Kingston Bagpuize, Oxon OX13 5FD • Phone: +44-1865-822322 • Fax: +44-1865-822301

Data presented in this document is subject to change without notice. This is for marketing and sales purposes only. This is not a controlled document. Please contact Bren-Tronics for latest specifications.